

Lead2passExam

> Contact Us Login / Register Search...

Lead2passExam

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (1)

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.
365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

Top Certifications

- ▶ IBM Cognos ▶ Linux Essentials ▶ Magento Certified Developer Plus ▶ BCS Certification
- ▶ Citrix NetScaler ▶ Nokia Networks Certification ▶ Solutions Expert
- ▶ VCAP6-DCV Deployment ▶ Oracle Sales Cloud 2016 Certified ▶ Oracle Service Cloud
- ▶ CCP-N ▶ IBM Certified Mobile System Administrator ▶ Windows 7 ▶ APC Certification
- ▶ HPE Sales Certified

Top Vendors

- ▶ Logical Operations ▶ TIA ▶ Pegasystems ▶ IISFA ▶ Mile2 ▶ 3COM ▶ Altiris ▶ IIA
- ▶ AccessData ▶ Avaya ▶ BACB ▶ Nokia ▶ RAPS ▶ McAfee ▶ Professional Tests
- ▶ Mile2-Security ▶ CIPS ▶ Legato ▶ ASQ ▶ QlikView ▶ NSCA ▶ PSAT ▶ HRCI
- ▶ WorldatWork ▶ Guidance Software

What Client's Say

“ Passed the exam yesterday, but 10 questions new not came from this dump. every other questions are same. Totally valid. ”



Roy
★★★★★

“ This is still valid. Passed today with 80%. looked like 3-4 new questions. Many thanks! Good braindumps ”



Vic
★★★★★

<http://www.lead2passexam.com/>

Available Exam Cram and Valid Dumps - Lead2Pass Exam

Exam : 920-340

Title : Nortel Software Communication
System 500 Rls.2.0 Config

Vendors : Nortel

Version : DEMO

1. In comparing the types of conferences available with the Software Communication System 500 (SCS500), which conference uses reserved ports?

- A. Scheduled conference
- B. Administrator conference
- C. Meet Me conference
- D. Instant conference

Answer: A

2. Which action is required to configure Hunt Group call scenarios for incoming received digits presented to the Software Communication System 500 (SCS500) system?

- A. Configure user aliases.
- B. Enter the digits from the provider of the digital trunk as the hunt group number.
- C. Determine the call sequence for Hunt Group user extensions.
- D. Specify a Hunt Group Fallback Destination.

Answer: B

3. On which server does the Nortel Software Communication System 500 (SCS500) run?

- A. Intel dual-core E4600 CPU
- B. Standard 1 GB/s Ethernet server
- C. System 5 default server platform
- D. Dell Optiplex 755 server platform

Answer: D

4. Which gateway provides connectivity to the PSTN via digital interfaces (PRI/T1/E1 or BRI)?

- A. AudioCodes MP-118 FXO
- B. Nortel Analog VoIP gateway 4 port FXO
- C. AudioCodes MP-114 FXS
- D. AudioCodes Mediant 1000

Answer: D

5. Click the Exhibit button. Which field do you change to adjust the number of dialpad keys the system accepts before interpreting a user's request?

The screenshot shows the 'Auto Attendant' configuration page. It has a 'Menu' link and an 'Options' button. The page is divided into two sections: 'DTMF Handling' and 'Invalid Response'. Under 'DTMF Handling', there are three fields: 'Inter-DTMF Timeout' (value 3, default 3), 'Overall DTMF Timeout' (value 7, default 7), and 'Maximum Number of DTMF tones' (value 10, default 10). Under 'Invalid Response', there is a description: 'Configure auto attendant behavior when user enters invalid response or no response is received.' There are two fields: 'Replay Count' (value 2, default 2) and 'Invalid Response Count' (value 2, default 2).

Field	Value	Default
Inter-DTMF Timeout	3	(Default: 3)
Overall DTMF Timeout	7	(Default: 7)
Maximum Number of DTMF tones	10	(Default: 10)
Replay Count	2	(Default: 2)
Invalid Response Count	2	(Default: 2)

- A. Inter-Dual Tone Multi-frequency (DTMF) Timeout
- B. Maximum Number of DTMF tones
- C. Replay Count
- D. Overall DTMF Timeout

Answer: B