

# Lead2passExam

> Contact Us    Login / Register    Search...

Lead2passExam

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (1)

## Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.  
365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

### Top Certifications

- ▶ IBM Cognos   ▶ Linux Essentials   ▶ Magento Certified Developer Plus   ▶ BCS Certification
- ▶ Citrix NetScaler   ▶ Nokia Networks Certification   ▶ Solutions Expert
- ▶ VCAP6-DCV Deployment   ▶ Oracle Sales Cloud 2016 Certified   ▶ Oracle Service Cloud
- ▶ CCP-N   ▶ IBM Certified Mobile System Administrator   ▶ Windows 7   ▶ APC Certification
- ▶ HPE Sales Certified

### Top Vendors

- ▶ Logical Operations   ▶ TIA   ▶ Pegasystems   ▶ IISFA   ▶ Mile2   ▶ 3COM   ▶ Altiris   ▶ IIA
- ▶ AccessData   ▶ Avaya   ▶ BACB   ▶ Nokia   ▶ RAPS   ▶ McAfee   ▶ Professional Tests
- ▶ Mile2-Security   ▶ CIPS   ▶ Legato   ▶ ASQ   ▶ QlikView   ▶ NSCA   ▶ PSAT   ▶ HRCI
- ▶ WorldatWork   ▶ Guidance Software

### What Client's Say

“ Passed the exam yesterday, but 10 questions new not came from this dump. every other questions are same. Totally valid. ”



Roy  
★★★★★

“ This is still valid. Passed today with 80%. looked like 3-4 new questions. Many thanks! Good braindumps ”



Vic  
★★★★★

<http://www.lead2passexam.com/>

Available Exam Cram and Valid Dumps - Lead2Pass Exam

**Exam :** A2010-005

**Title :** Assess: IBM Maximo Asset  
Management V7.1 Solution Designer

**Vendors :** IBM

**Version :** DEMO

NO.1 if a customer has a requirements list,when is the best time to review this list with the customer and

classify the requirements?

- A. at the end of the design phase
- B. as the first task of Design phase
- C. during the process design workshops
- D. at the beginning of the configuration phase

Answer: B

NO.2 which data type will be used in IBM maximo asset management V7.1 to accept data from an external

system which contains upper and lower case alphanumeric characters?

- A. ALN
- B. BLOB
- C. TEXT
- D. UPPER

Answer: A

NO.3 What is the life cycle for a Migration Manager Package?

- A. define,Create,Distribute,and Deploy.
- B. create,Define,Distribute,and Deploy.
- C. Create,Approve,Activate,and Distribute
- D. Design,Approve,Populate,and Distribute.

Answer: A

NO.4 Which data is commonly imported into the IBM maximo asset management V7.1 through an interface

when integrated with an external purchasing system ?

- A. assets
- B. work orders
- C. vendor data
- D. meter readings

Answer: C

NO.5 At which data level do contracts,Labor,and chart of Accounts reside?

- A. set
- B. site
- C. system

D. organization

Answer: D

NO.6 One or more solutions for each functional gap now have been identified where the solution requires one to vary from using standard IBM Maximo Asset Management V7.1. Which two factors are used to calculate the impact of each solution for the project success?(Choose two)

A. length

B. urgency

C. Priority

D. Risk to business

E. difficulty to implement

Answer: DE

NO.7 As part of the solution, multiple organizations and sites have to be created and rotating assets will be moved between sites that belong to different organizations. What must be done to meet this requirement?

A. create a common location.

B. create a global rotating suspense account

C. create an item set and assign it to all organizations.

D. create a company set and assign it to all organizations.

Answer: C

NO.8 Which statement defines a maximo asset in IBM Maximo Asset Management V7.1(MAM)

A. A Maximo Asset is a record in MAM used to identify equipment.

B. A Maximo Asset is a record in MAM used to identify company assets.

C. A Maximo Asset is any entity described in MAM to capture events and costs

D. A Maximo Asset is any physical entity described in MAM to capture events and costs

Answer: B

NO.9 The client requirements outline the need for advanced Asset lifecycle features to estimate compatible units or replacement assets, This requirement and other crew management related requirements are determined to exceed standard IBM Maximo Asset Management capabilities. Which industry

solution or

add-on provide this and other features?

- A. Maximo Linear Assets
- B. Maximo for Utilities
- C. Maximo for Life Sciences
- D. Maximo service Management

Answer: B

NO.10 A client needs any work order that is created to be categorized by using specific codes:DF=defact(reactive),DB=breakdown(reactive),RT=routine(planned),SF=safety(planned ).and

CAPEX=capital expenditure (capital).This is to allow the to report the difference between proactive,recative,and capital works.Which organization option will be use to fefine these codes?

- A. work type
- B. categories
- C. work options
- D. classifications

Answer: A

NO.11 The customer's legacy system has no functionality to create custom integrations.

Which two options

are available to migrate data from a legacy system to an IBM Maximo asset management V7.1(MAM)

environment?(Choose two)

- A. Export data from the legacy system and import data as a database dump.
- B. Directly insert extracted data from the legacy system into the MAM database.by using SQL statements.
- C. Extract data from the legacy system into flat files and use the Maximo Migration Manager to migrate the data into MAM.
- D. use the data migratiion option in the maximo Integration Adapter.after having extracted data from the legacy sysem into the comma-separated value(CSV)files.
- E. Use the data import option in the Integration Framework.after having extracted f

Answer: BE

NO.12 At which data level do asset,locations,and purchase orders reside?

- A. set
- B. site
- C. system
- D. organization

Answer: B

NO.13 which external system can be interfaced to IBM Maximo Asset Management V7.1 to import meter readings?

- A. Hubometer
- B. Fixed Assets
- C. General Ledger
- D. Control System

Answer: D

NO.14 The client requirements outline the need for advanced tracking of process measurements such as temperature, pressure, and flow. These measurement and test equipment requirements are determined to exceed standard IBM Maximo Asset Management capabilities. Which industry solution or add-on will provide this and other features?

- A. Maximo Calibration
- B. Maximo for service Providers
- C. Maximo linear asset
- D. Maximo Instruments and controls

Answer: A

NO.15 which three data elements are commonly interfaced to IBM maximo asset management V7.1 from an external purchasing system? (choose three)

- A. calendars
- B. vendor names
- C. organizations
- D. order quantities
- E. person information
- F. receipt quantities

Answer: BDF

NO.16 Which two methods are available to migrate data from a legacy system to IBM maximo Asset management V7.1(MaM)(choose two)?

- A. use a data mapping tool to link the legacy database to the MAM data warehouse and update the MAM data.
- B. Extract data from the legacy system and create SQL statements to insert the data directly into the MAM database.
- C. connect the legacy database to the MAM database and synchronize the required data by using an external data mapping tool.
- D. Extract data from the legacy system to comma-separated value files and use the data import option of the Integration framework
- E. restore the legacy database on the MAM database server,connect MAM to the legacy database.and reorganize the tables.view.and fields.

Answer: BD

NO.17 At a high level,around which three data levels are IBM Maximo Asset Management V7.1 functionality and security built?(Choose three)

- A. site
- B. system
- C. assets
- D. Locations
- E. Work Order
- F. Organization

Answer: ABF

NO.18 A customer wants to produce bar code labels for Assets containing specification data,Which type of requirement will this be considered as?

- A. configuration
- B. custom report
- C. customization

D. class file extension

Answer: B

NO.19 As part of setting up IBM maximo asset management V7.1,organization(s) and site(s) are required to be created and an organization has to ben activated. What are the required steps to activate an organization?

A. Create a GL account,update organizations transfer asset account,and activate the orgainzaiton.

B. Define the GL account codes,update organizations transfer asset account,and activate the orgainzaiton.

C. Define the asset account codes,update organizations transfer asset account,and activate the orgainzaiton.

D. Create the asset account,update organizations transfer asset account,and activate the orgainzaiton.

Answer: B

NO.20 The client has outlined in the discovery phase of the project that they want to incorporate three divisions,and each has a diferent chart of accounts with the same GL account configuration.From this information,how many organizations should be created for the solution is required to be decided. How many organizations should be created?

A. one

B. two

C. four

D. three

Answer: D