

Lead2passExam

> Contact Us Login / Register Search...

Lead2passExam

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (1)

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.
365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

Top Certifications

- ▶ IBM Cognos ▶ Linux Essentials ▶ Magento Certified Developer Plus ▶ BCS Certification
- ▶ Citrix NetScaler ▶ Nokia Networks Certification ▶ Solutions Expert
- ▶ VCAP6-DCV Deployment ▶ Oracle Sales Cloud 2016 Certified ▶ Oracle Service Cloud
- ▶ CCP-N ▶ IBM Certified Mobile System Administrator ▶ Windows 7 ▶ APC Certification
- ▶ HPE Sales Certified

Top Vendors

- ▶ Logical Operations ▶ TIA ▶ Pegasystems ▶ IISFA ▶ Mile2 ▶ 3COM ▶ Altiris ▶ IIA
- ▶ AccessData ▶ Avaya ▶ BACB ▶ Nokia ▶ RAPS ▶ McAfee ▶ Professional Tests
- ▶ Mile2-Security ▶ CIPS ▶ Legato ▶ ASQ ▶ QlikView ▶ NSCA ▶ PSAT ▶ HRCI
- ▶ WorldatWork ▶ Guidance Software

What Client's Say

“ Passed the exam yesterday, but 10 questions new not came from this dump. every other questions are same. Totally valid. ”



Roy
★★★★★

“ This is still valid. Passed today with 80%. looked like 3-4 new questions. Many thanks! Good braindumps ”



Vic
★★★★★

<http://www.lead2passexam.com/>

Available Exam Cram and Valid Dumps - Lead2Pass Exam

Exam : C2090-731

Title : DB2 9 DBA for Linux,UNIX and Windows

Vendors : IBM

Version : DEMO

NO.1 Given the following situation: Table space ts1 with tables t1, t2, t3 Table space ts2 with tables t4,

t5 Tables t1 and t4 have defined referential integrity on them (t1 is the parent, t4 is the child)

What

happens after restoring the table space ts1 and issuing the following command? db2

rollforward

db sample to 2006-06-16-14.21.56 and stop tablespace(ts1)

A.The roll forward is executed to the end of logs.

B.The roll forward is not executed and an error message is generated.

C.The roll forward is executed and table t4 is placed in set integrity pending state.

D.The roll forward is executed and tables t1 and t4 are placed in set integrity pending state.

Correct:C

NO.2 A database administrator has HADR enabled and wants to do a LOAD WITH COPY

NO option on

the primary server. What happens on the standby server?

A.The Load is replicated without problems.

B.The Load will stop with an appropriate error message.

C.The Load will be automatically converted to NONRECOVERABLE and the standby database will be

marked bad.

D.The Load will be automatically converted to COPY YES if the directory or device specified on the

primary server is accessible for the standby database.

Correct:C

NO.3 As part of a high availability takeover strategy using HADR, the LOG INDEX BUILD table

attribute for the APPLICANT table is set to OFF. What is the most likely effect of this change?

A.After failover, the APPLICANT table index may be rebuilt.

B.An attempt to create a unique index on the APPLICANT table will fail.

C.Index builds for the APPLICANT table on the primary system will take longer.

D.The LOGINDEXBUILD database configuration parameter overrides the table attribute.

Correct:A

NO.4 When a table is altered and a column is added for secured access by Label Based Access

Control (LBAC), what column type should be used?

- A.DB2SECURITY
- B.DB2LABELSECURITY
- C.DB2SECURITYLABEL
- D.DB2SECURITYDBLABEL

Correct:C

NO.5 Recovering a single table space to a point in time:

- A.requires archive log files from the last restorable backup.
- B.is not possible, table spaces must be recovered to end of logs.
- C.is not possible if the disks for that table space are not recoverable.
- D.requires the sysadmin to connect to the target database prior to issuing the command.

Correct:A

NO.6 A FINANCE database must be available 24 hours a day, seven days a week. Which of the

following commands can be issued to back up the FINANCE database, while minimizing the impact on other database users?

- A.BACKUP DATABASE finance ONLINE TO COMPRESS
- B.BACKUP DATABASE finance TO UTIL_IMPACT_PRIORITY 5
- C.BACKUP DATABASE finance ONLINE TO UTIL_IMPACT_PRIORITY 15
- D.BACKUP DATABASE finance ONLINE TO UTIL_IMPACT_PRIORITY 100

Correct:C

NO.7 A recovery of database DB1 is started by issuing RECOVER DATABASE DB1 TO END OF LOGS.

The recovery fails during the rollforward phase. In order to continue the recovery from the point of

failure, which of the following commands should be executed?

- A.RECOVER DATABASE DB1 RESTART
- B.RECOVER DATABASE DB1 TO END OF LOGS
- C.RECOVER DATABASE DB1 TO END OF LOGS RESTART
- D.RECOVER DATABASE DB1 CONTINUE TO END OF LOGS

Correct:B

NO.8 What are the two security mechanisms that enable users to access DB2 data?

- A.Authentication and Clearance
- B.Authorization and Validation
- C.Validation and Certification

D.Authentication and Authorization

Correct:D

NO.9 A DBA wants to grant the SELECT privilege on table T1 to user USER1 and group GRP1. USER1 and GRP1 have not been defined. What is the minimum that needs to be done to successfully grant this privilege?

- A.Grant the SELECT privilege to USER1 and GRP1.
- B.Define GRP1 and then grant the SELECT privilege.
- C.Define USER1 and then grant the SELECT privilege.
- D.Define USER1 and GRP1 and then grant the SELECT privilege.

Correct:A

NO.10 A transaction that receives a log disk full error (SQL0968C) will fail and be rolled back. In order

to prevent the roll back, which of the following should be done?

- A.Set BLK_LOG_DSK_FUL to NO
- B.Set BLK_LOG_DSK_FUL to YES
- C.Decrease space for the active log directory
- D.Reduce the LOGPRIMARY, LOGSECOND and LOGFILSIZ

Correct:B

NO.11 Which of the following is used to protect a database from the accidental deletion of an active log

file and data corruption of log files caused by hardware failure?

- A.newlogpath
- B.failarchpath
- C.mirrorlogpath
- D.overflowlogpath

Correct:C

NO.12 A database named QA that was using archival logging crashed. An attempt to restart it failed

with error code SQL0290N. Examination of the db2diag.log shows that the disk drive containing

the system catalog table space SYSCATSPACE is not responding. Backup images of both the QA

database and the SYSCATSPACE table space exist. After replacing the failed disk drive, what is

the quickest method to bring the QA database back online?

A.Restore the QA database from the latest off-line backup image.

B.Restore the QA database from the latest off-line backup image and rollforward to end of logs.

C.Restore the System Catalog table space from the latest SYSCATSPACE backup image without rolling forward.

D.Restore the System Catalog table space from the latest SYSCATSPACE backup image and rollforward to end of logs.

Correct:D

NO.13 A DBA needs to set the DIAGLEVEL configuration parameter to 4 while users are connected to

the database. How can this change be implemented in a way that has a minimum impact to the

environment?

A.Quiesce the database and update the parameter.

B.Attach to the instance and update the parameter.

C.Connect to the database in a single user mode and update the parameter.

D.Attach to the instance, update the parameter, stop and restart the instance.

Correct:B

NO.14 Which of the following authorities should a user have in order to QUIESCE the DB2 instance?

A.DBADM

B.SECADM

C.SYSMON

D.SYSMAINT

Correct:D

NO.15 Which of the following settings would allow 20 sorts with a maximum of 10MB each to run

concurrently on a 64-bit instance?

A.Set the DB SHEAPTHRES to 50000 and the DB SORTHEAP to 2500.

B.Set the DBM SHEAPTHRES to 50000 and the DB SORTHEAP to 2500.

C. Set the DBM SHEAPTHRES to 50000 and the DBM SORTHEAP to 2500.

D. Set the DBM SHEAPTHRES_SHR to 50000 and the DBM SHEAPTHRES to 2500.

Correct: B

NO.16 A database server has two instances with all databases created using the default parameters.

Instance inst1 with databases datab1, datab2 and datab3 Instance inst2 with databases datab11,

datab12 and datab13 The instance inst1 and the database datab12 must not be able to be seen

using DISCOVERY to catalog databases and servers. Which of the following actions are required?

A. Update the dbm cfg for instance inst1 to discover_inst = disable Update the db cfg for database

datab12 to discover_db = disable

B. Update the dbm cfg for instance inst1 to discover_inst = disable Update the dbm cfg for instance inst2

to discover_inst = disable

C. Update the dbm cfg for instance inst1 to discover_inst = disable Update the dbm cfg for instance inst2

to discover_db = disable datab12

D. Update the dbm cfg for instance inst1 to discover_inst = disable Update the db cfg for database

datab11 and datab13 to discover_db = enable

Correct: A

NO.17 Given the following notification log entry: 2006-02-13-14.34.35.965000-300

I17502H435 LEVEL:

Error PID : 940 TID : 660 PROC : db2syscs.exe INSTANCE: DB2 NODE : 000 DB : SAMPLE

APPHDL : 0-1433 APPID: *LOCAL.DB2.050120082811 FUNCTION: DB2 UDB, data protection,

sqlpsize, probe:20 RETCODE : ZRC=0x860F000A=-2045837302=SQLO_FNEX "File not found."

DIA8411C A file "" could not be found. Which letter from the function name sqlpsize should be

used to look up information about this function in the Support and Troubleshooting section of the

Information Center?

- A.The last letter
- B.The fifth letter
- C.The fourth letter
- D.The second last letter

Correct:C

NO.18 USER1 needs to remove table TABLE1 from the PAYROLL database. Assuming USER1 has no privileges on TABLE1, which of the following must occur before USER1 will be allowed to drop the table?

- A.A user with SYSADM authority must execute the statement GRANT DELETE ON table1 TO user1.
- B.A user with DBADM authority must execute the statement GRANT CONTROL ON table1 TO user1.
- C.A user granted DELETE WITH GRANT OPTION privilege on TABLE1 must execute the statement GRANT DELETE ON table1 TO user1.
- D.A user granted CONTROL WITH GRANT OPTION privilege on TABLE1 must execute the statement GRANT CONTROL ON table1 TO user1.

Correct:B

NO.19 A DB2 application developer creates an SQL stored procedure. Inside the procedure, a static SQL statement reads data from a table called EMPLOYEE and a dynamic SQL statement inserts data into a table called PAYROLL. Assuming that the default pre-compile and bind options are used, what privileges would an application user need in order to successfully invoke the stored procedure?

- A.EXECUTE privilege on the stored procedure
- B.SELECT privilege on the EMPLOYEE table INSERT privilege on the PAYROLL table
- C.EXECUTE privilege on the stored procedure INSERT privilege on the PAYROLL table
- D.EXECUTE privilege on the stored procedure SELECT privilege on the EMPLOYEE table

Correct:C

NO.20 User 1 creates table T1 and subsequently creates view V1 based on table T1. User 1 grants

SELECT WITH GRANT OPTION on view V1 to user 2. User 2 grants SELECT privileges on view V1

to user 3. The database administrator revokes CONTROL and SELECT privileges from user 1.

What is the status of privileges on view V1 after this sequence?

A. User 2 and user 3 still have SELECT privileges on view V1.

B. All privileges have been revoked and the view is marked inoperative.

C. User 3 still has SELECT privilege on view V1, but user 2's privilege has been revoked.

D. User 2 still has SELECT privilege on view V1, but user 3's privilege has been revoked.

Correct: B