

Lead2passExam

> Contact Us Login / Register

Search... 

Lead2passExam

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (1)

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.
365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

Top Certifications

- ▶ IBM Cognos
- ▶ Linux Essentials
- ▶ Magento Certified Developer Plus
- ▶ BCS Certification
- ▶ Citrix NetScaler
- ▶ Nokia Networks Certification
- ▶ Solutions Expert
- ▶ VCAP6-DCV Deployment
- ▶ Oracle Sales Cloud 2016 Certified
- ▶ Oracle Service Cloud
- ▶ CCP-N
- ▶ IBM Certified Mobile System Administrator
- ▶ Windows 7
- ▶ APC Certification
- ▶ HPE Sales Certified

Top Vendors

- ▶ Logical Operations
- ▶ TIA
- ▶ Pegasystems
- ▶ IISFA
- ▶ Mile2
- ▶ 3COM
- ▶ Altiris
- ▶ IIA
- ▶ AccessData
- ▶ Avaya
- ▶ BACB
- ▶ Nokia
- ▶ RAPS
- ▶ McAfee
- ▶ Professional Tests
- ▶ Mile2-Security
- ▶ CIPS
- ▶ Legato
- ▶ ASQ
- ▶ QlikView
- ▶ NSCA
- ▶ PSAT
- ▶ HRCI
- ▶ WorldatWork
- ▶ Guidance Software

What Client's Say

“ Passed the exam yesterday, but 10 questions new not came from this dump. every other questions are same. Totally valid. ”



Roy
★★★★★

“ This is still valid. Passed today with 80%. looked like 3-4 new questions. Many thanks! Good braindumps ”



Vic
★★★★★

<http://www.lead2passexam.com/>

Available Exam Cram and Valid Dumps - Lead2Pass Exam

Exam : **CSSGB**

Title : **CSSGB (Six Sigma Green Belt)**

Vendor : **ASQ**

Version : **DEMO**

NO.1 Which element of waste best describes the cost of a resource being in the queue?

- A. Waiting
- B. Motion
- C. Inventory
- D. Correction

Answer: A

NO.2 The reason(s) for not marking the customer Specification Limits (SL) on a Control Chart is which of these? (Note: There are 4 correct answers).

- A. Process control teams should not control a process based on SLs
- B. Displaying the SLs on a Control Chart sends a wrong signal toward process control
- C. Marking the SLs on a Control Chart is against the principle of charting
- D. By marking the SLs, one can confuse the operator as to what limits are critical
- E. By using mere Control Limits the process only needs to be in Statistical Control

Answer: A,B,D,E

NO.3 According to a manager it takes an average weekday commute of 39 minutes with a Standard Deviation of 7 minutes for the employees to get to work when they use their personal vehicles for their office commute while management set a policy of not more than 40 minutes for their daily one-way commute. A survey conducted one day on 70 employees showed an average of 34 minutes commuting time using the metro public transportation system with a Standard Deviation of 21 minutes. For the employees choosing to increase their chances to come on time using personal transportation their variation should be reduced to _____?

- A. 1 minute
- B. 6 minutes
- C. 3.5 minutes
- D. Eliminate it to 0.0 minutes

Answer: C

NO.4 A Stable process is a process whose output is consistent over time. A primary tool used to analyze Stability would be a _____.

- A. Data Forward Plot
- B. Bag Plot
- C. Min/Max Plot
- D. Time Series Plot

Answer: D

NO.5 The Standard Deviation for the distribution of Means is called the _____ and approaches zero as the sample size reaches 30.

- A. Standard Error
- B. Mean Deviation
- C. Mean Spread
- D. Mean Error

Answer: A

NO.6 Which element of waste best describes "the unnecessary movement of materials and/or goods"?

- A. Overprocessing
- B. Motion
- C. Conveyance
- D. Correction

Answer: C

NO.7 Which of the following is used to test the significance for the analysis of a Variance Table?

- A. t Test
- B. F Test
- C. Chi Square Test
- D. Acid Test

Answer: B

NO.8 Voice of the Customer is a Lean Six Sigma technique to determine _____ attributes of a product or service.

- A. At least 6
- B. The profitable
- C. Critical-to-Quality
- D. The majority of the

Answer: C

NO.9 The very best way to begin an effort to map a process is to do which of these?

- A. Interview the process owner
- B. Interview the manager of the department
- C. Walk the actual process from beginning to end
- D. Take pictures of the factory floor at each shift

Answer: C

NO.10 When two Inputs have an impact on the Output together yet seem to have no or little impact on their own this is called a/an _____.

- A. Interaction
- B. Oddity
- C. Coincidence
- D. Impossibility

Answer: A

NO.11 When a Belt applies the practice of Poka-Yoke to a project challenge she is attempting to make certain the activity is _____.

- A. Well documented
- B. Removed from the line

- C. Mistake proofed
- D. Highly visible

Answer: C

NO.12 The term FMEA is an abbreviation for Failures Measure Effective Automation.

- A. True
- B. False

Answer: B